

**COMING
SOON**



QBi Pro (3.5" SBC)

QBiP-1335EB

Compare
Now

Preliminary

Key Features

3.5" SubCompact Board with 13th Generation Intel® Core™ i5-1335UE Processor, Dual Channel DDR4 memory, 4 x COM, 1 x SATA 6Gb/s, 4 x USB 3.2 Gen 2x1, 4 x USB 2.0

- 3.5" SBC
- Intel® Core™ i5-1335UE Processor
- Dual Channel DDR4, 2 x SO-DIMMs
- 2 x 2.5GbE LAN Ports

SHARE



Add to Compare

Add to Inquiry

Specification

Specification

Form Factor	3.5" SBC 146W x 101.7D(mm)
CPU	Intel® Core™ i5-1335UE Processor Intel® 7, 10 cores, 2P+8E, 12 threads, up to 4.5 GHz TDP 15W 12 MB Smart Cache
Socket	1 x FCBGA1744
Memory	2 x DDR4 SO-DIMM sockets, Max. Capacity 64 GB Support Dual Channel DDR4 3200 MHz memory modules

Compare
Now

Ethernet	2 x 2.5GbE LAN Ports (Intel® I226V & I226LM)
Video	Integrated Graphics Processor - Intel® Iris® Xe Graphics eligible: 2 x HDMI 2.0 ports, supporting a maximum resolution of 4096x2160 @60Hz 1 x LVDS port, supporting a maximum resolution of 1920x1200 @60Hz (3 independent display outputs)
Audio	Realtek® ALC269
Storage	1 x SATA 6Gb/s Port (SATA RAID 0/1)
Expansion Slots	1 x 2280 M.2 M-Key (PCIe Gen4x4, SATA 6Gb/s) 1 x 2230 M.2 E-Key 1 x Full-size Mini PCIe with SIM slot
Internal I/O	1 x 4-pin box power connector (DC in +9V~36VDC) 1 x SATA Power header 1 x CPU fan header 1 x System fan header 1 x Front panel header 1 x Front panel audio header 1 x 2W Speaker out header 4 x USB 2.0 headers 3 x COM headers (RS-232/422/485) 1 x Backlight Control header 1 x AT/ATX mode select jumper 1 x GPIO (8-bits) & SMBus header
Rear I/O	1 x COM Port (RS-232/422/485 & RI/5V/12V) 2 x HDMI 2 x RJ45 LAN Ports 4 x USB 3.2 Gen 2x1
TPM	Onboard TPM 2.0 security chip INFINEON SLB9672VU2.0
OS Compatibility	Windows 10/11 (x64)
Operating Properties	Operating temperature: 0°C to +60°C Operating humidity: 0-90% (non-condensing)

Compare
Now

Non-operating temperature: -40°C to +85°C
Non-operating humidity: 0%-95% (non-condensing)

Packing Content

Carton size: 465 x 351 x 217 (mm)
Packing Capacity: 10pcs

Single Box size: 221 x 178 x 65 (mm)
Single Box weight: Approx. 0.5kg

Including:
SATA power Cable x 1 (P/N: 25CRI-200B02-K1R)

Order Information

9MRLU5CSMR-SI (Box Packing)

Compare
Now