

# APC-32WR6

**32" Ultra Slim Panel PC with Rockchip RK3576S**



## Product Features

- 32" 1920 x 1080 Slim Panel PC with PCAP touch
- 4GB LPDDR5/ 64GB eMMC
- DC 12V and support Powered LAN (802.3bt)
- Rockchip RK3576S Quad core cortex A53+Quad core cortex A72
- Fanless operation from 0°C ~ 40°C
- Support Android 14 with Google EDLA

## Specification

System Information	
Processor	Rockchip RK3576S Quad core cortex A53+Quad core cortex A72
System Memory	Onboard 4GB LPDDR5
Storage	
Storage	Onboard 64GB eMMC
Display	
Graphic Chipset	Mali-G52 MC3 support OpenGL ES 1.1/2.0/3.2, Vulkan 1.2, OpenCL 2.1
Audio	
Speaker Output	2 x 4Ω 5W
Ethernet	
Ethernet Interface	10/100/1000 Base-Tx GbE compatible

## Power Requirement

DC Input	+12V
DC Input Connector	DC Jack
Adapter	Input: 100 ~ 240Vac/ 50 ~ 60Hz Output: 60W (12V@5A) AC-DC adapter

## Software Support

OS	Android 14
----	------------

## Panel

LCD Size	32"
LCD Panel	IPS
Resolution	1920 x 1080
Luminance	300 cd/m <sup>2</sup>
Contrast ratio	1000
Viewing angle	89 (U), 89 (D), 89 (L), 89 (R)
Response time	8ms
Backlight	ELED
Touch Type	Projective capacitive multi-touch up to 10 points

## External I/O

USB Port	1 x USB 3.0 1 x USB 2.0 1 x USB Type C (Full Function, Except for charging and DP function)
LAN Port	1 x RJ45
HDMI	1 x HDMI-in
DC input	1 x DC Jack
Other	Power/Vol+/Vol- Button

## Data Collection

NFC	Support 13.56MHz, ISO/IEC 18092, ISO/IEC 21481, ISO/IEC 14443 A&B, ISO/IEC 15693, JIS X 6319-4 & MIFARE
Camera	1 x MIPI 8.0MP Camera

## Wireless Communication

**WLAN** Optional Wi-Fi 802.11b/g/n/a/ac/ax

**Bluetooth** Optional BT 5.4

## Mechanical & Environmental

**Operating Temp.** 0°C ~ 40°C (32°F ~ 104°F)

**Storage Temp.** -20°C ~ 60°C (-4°F ~ 140°F)

**Operating Humidity** 20~80%RH

**Dimension (W x L x H)** 735.6 x 436.2 x 36.5 mm

**Weight** 7.7kg

**Mounting Kit** Wall mount bracket

**VESA** 100 x 100mm

**Power Requirement** DC 12V/Powered LAN (802.3bt)

**Power Mode** AT/ATX (AT is default)

**System Fan** Fanless

**Construction** Plastic ABS

## Packing List

**Packing List**

- 1 x APC-32WR6
- 1 x AC/DC 60W Adapter 12V/5A
- 1 x Power Cord
- 1 x USB Cable (Type-A to Type-C)
- 1 x Wall mount bracket
- 5 x KA4.0\*3mm Screws with Wall plug
- 2 x M4.0\*46mm Screws
- 4 x EVA Cotton
- 1 x Spirit Level