


RPC-15WT

15.6" desktop Panel PC with Rockchip RK3576S



Product Features

- 15.6" 1920 x 1080 Panel PC with PCAP touch
- 4GB LPDDR4 / 64GB eMMC
- Support Android 15/16
- InIntegrated Anti-theft Slot for Enhanced Security
- Rockchip RK3576S Quad core cortex A53+Quad core cortex A72
- DC 12V and support Powered LAN (802.3at)
- 16.5° Oblique Design for Ergonomic Operation
- Non-skid Rubber Base for Maximum Stability

Specification

System Information

Processor Rockchip RK3576S Quad core cortex A53+Quad core cortex A72

System Memory Onboard 4GB DDR

Storage

Storage Onboard 64GB eMMC

Other Storage Device 1 x Mirco SD Card Slot

Display

Graphic Chipset Mali-G52 MC3 GPU

Audio

Speaker Output 2 x 3W

Ethernet

Ethernet Interface 10/100/1000 Base-Tx GbE compatible

Power Requirement

DC Input	+12V
DC Input Connector	DC Jack
Adapter	Input: 100 ~ 240Vac/ 50 ~ 60Hz Output: 24W (12V@2A) AC-DC adapter

Software Support

OS	Android 15/16
-----------	---------------

Panel

LCD Size	15.6"
Resolution	1920 x 1080
Luminance	250 cd/m2
Contrast ratio	1000
Viewing angle	85/85/85/85 (L/R/U/D)
Touch Type	Projective capacitive multi-touch up to 10 points

External I/O

USB Port	1 x USB 3.0 1 x USB 2.0 1 x USB Type C (Full Function, Except for charging and DP function)
LAN Port	1 x RJ45
HDMI	1 x HDMI-in
Other	1. Safety Lock Hole 2. Optional SIM

System Control

Control Buttons	Power
------------------------	-------

Data Collection

NFC	Optional : PN7160(NXP)
------------	------------------------

Wireless Communication

WLAN	Optional Wi-Fi 802.11b/g/n/a/ac/ax
Bluetooth	Optional BT 5.4

Mechanical & Environmental

Operating Temp. 0°C ~ 40°C (32°F ~ 104°F)

Storage Temp. -20°C ~ 60°C (-4°F ~ 140°F)

Operating Humidity 20~80%RH

Dimension (W x L x H) 364.9 x 211.2 x 73.33 mm

Power Mode AT/ATX (AT is default)

Packing List

Packing List

- 1 x RPC-15WT
- 1 x 12V/2A Adapter
- 1 x USB Type A to Type C
